

# NATURAL INNER TUBE LIST

## AGRICULTURAL TYRE NATURAL INNER TUBE

| SIZE            | Main dimensions(mm)      |                           | WEIGHT<br>KGS | VALUE  |               |               |
|-----------------|--------------------------|---------------------------|---------------|--------|---------------|---------------|
|                 | Width of flat<br>section | Perimeter of Flat<br>fold |               | TRA    | GB/T3900-1997 | GB/T3900-2003 |
| 10.00-15        | 264                      | 2229                      | 2.18          | TR13   | Z1-02-2       | CF01          |
| 10/75-15.3      | 295                      | 2400                      | 2.80          | /      | Z1-03-1       | CG01C         |
| 11.20-20        | 355                      | 2800                      | 3.50          |        |               |               |
| 12.00-18        | 350                      | 2960                      | 4.20          | /      | Z1-03-1       | CG01C         |
|                 | 325                      | 2753                      | 4.80          | TR179A | Z1-01-8       | DG09C         |
| 12.4-26         | 324                      | 3320                      | 4.20          | /      | Z1-03-1       | CG01C         |
| 12.5/80-15.3    | 318                      | 2460                      | 3.70          |        |               |               |
| 12/12.4/13.6-38 | 352                      | 4520                      | 7.00          |        |               |               |
| 13.6-20         | 277                      | 2720                      | 3.50          |        |               |               |
| 13.6-24         | 352                      | 3031                      | 4.50          |        |               |               |
| 13.6-28         | 352                      | 3640                      | 5.20          |        |               |               |
| 13/80-20        | 330                      | 3000                      | 3.50          | TR179A | Z1-01-8       | DG09C         |
| 14.9-28         | 393                      | 3900                      | 7.40          | /      | Z1-03-1       | CG01C         |
| 14.9-30         | 405                      | 4020                      | 8.00          |        |               |               |
| 15/70-18        | 327                      | 2704                      | 5.00          | TR179A | Z1-01-8       | DG09C         |
| 16.9-28         | 445                      | 3880                      | 8.30          | /      | Z1-03-1       | CG01C         |
| 16.9-30         | 446                      | 4126                      | 8.50          |        |               |               |
| 16.9-34         | 432                      | 4510                      | 9.90          |        |               |               |
| 16.9-38         | 466                      | 4820                      | 12.00         |        |               |               |
| 16/70-16        | 302                      | 2640                      | 3.50          | TR77A  | Z1-01-5       | DG06C         |
| 18.00-24        | 580                      | 4470                      | 13.00         | TR179A | Z1-01-8       | DG09C         |
| 18.4-34         | 484                      | 4480                      | 12.50         | /      | Z1-03-1       | CG01C         |
| 18.4-42         | 504                      | 5200                      | 17.00         |        |               |               |
| 19.5L-24        | 485                      | 3640                      | 8.00          | TR75A  | Z1-01-3       | DG04C         |
| 20.8-38         | 574                      | 5230                      | 18.00         | /      | Z1-03-1       | CG01C         |
| 4.00-8          | 100                      | 1015                      | 0.32          | TR13   | Z1-02-1       | CF01          |
| 4.00-14         | 123                      | 1620                      | 0.70          |        |               |               |
| 5.00-15         | 152                      | 1690                      | 0.63          | TR13   | Z1-02-2       | CF01          |
| 5.00-16         | 142                      | 1876                      | 1.00          |        |               |               |
| 5.50-15         | 146                      | 1840                      | 1.10          |        |               |               |
| 5.50-16         | 170                      | 1916                      | 0.78          |        |               |               |
| 8.3-20          | 223                      | 2480                      | 1.80          |        |               |               |
| 8.3-20          | 204                      | 2290                      | 1.70          |        |               |               |
| 9.3-24          | 206                      | 2720                      | 2.10          |        |               |               |
| 8.30-24         | 204                      | 2680                      | 2.20          | TR75A  | Z1-01-3       | DG04C         |
| 9.00-16         | 249                      | 2329                      | 2.50          | TR13   | Z1-02-2       | CF01          |
| 9.50-16         | 271                      | 2420                      | 2.50          | /      | Z1-03-1       | CG01C         |
| 9.50-20         | 250                      | 2700                      | 2.65          | /      | Z1-03-1       | CG01C         |
| 9.50-28         | 259                      | 3140                      | 2.60          | TR13   | Z1-02-2       | CF01          |
| 9.50-32         | 250                      | 3540                      | 3.00          | /      | Z1-03-1       | CG01C         |

## TRACTOR TYRE NATURAL INNER TUBE

| SIZE       | Main dimensions(mm)   |                        | WEIGHT<br>KGS | VALUE |                    |               |
|------------|-----------------------|------------------------|---------------|-------|--------------------|---------------|
|            | Width of flat section | Perimeter of Flat fold |               | TRA   | GB/T3900-1997      | GB/T3900-2003 |
| 5.00-10    | 115                   | 1349                   | 0.44          | TR13  | Z1-02-1<br>Z1-02-2 | CF01          |
| 5.00-12    | 119                   | 1470                   | 0.56          |       |                    |               |
| 6.00-12    | 191                   | 1651                   | 0.84          |       |                    |               |
| 6.00-16    | 179                   | 1959                   | 1.13          |       |                    |               |
| 6.50-16    | 189                   | 2008                   | 1.31          |       |                    |               |
| 7.50-16    | 220                   | 2120                   | 1.66          |       |                    |               |
| 7.50-20    | 203                   | 2416                   | 2.21          | /     | Z1-03-1            | CG01C         |
| 9.5-24     | 239                   | 2688                   | 2.26          |       |                    |               |
| 11.2-24    | 363                   | 3231                   | 3.71          |       |                    |               |
| 14.9-24    | 395                   | 3328                   | 4.85          |       |                    |               |
| 15-24      | 479                   | 3658                   | 6.26          |       |                    |               |
| 14.9-26    | 395                   | 3508                   | 5.10          |       |                    |               |
| 23.1-26    | 610                   | 3900                   | 12.95         |       |                    |               |
| 28L-26     | 675                   | 4320                   | 13.34         |       |                    |               |
| 10-28      | 283                   | 3286                   | 3.34          |       |                    |               |
| 11.2/10-28 | 283                   | 3286                   | 3.34          |       |                    |               |
| 11.2-28    | 283                   | 3286                   | 3.34          |       |                    |               |
| 11-28      | 305                   | 3380                   | 3.66          |       |                    |               |
| 12.4-28    | 305                   | 3380                   | 3.66          |       |                    |               |
| 13-28      | 382                   | 3560                   | 5.31          |       |                    |               |
| 14-28      | 440                   | 3529                   | 6.12          |       |                    |               |
| 18.4-30    | 456                   | 4110                   | 7.43          |       |                    |               |
| 11-32      | 300                   | 3600                   | 4.70          |       |                    |               |
| 13.6-36    | 360                   | 3929                   | 4.85          |       |                    |               |
| 11-38      | 319                   | 4142                   | 4.73          |       |                    |               |
| 12-38      | 359                   | 4274                   | 5.62          |       |                    |               |
| 18.4-38    | 456                   | 5610                   | 8.61          |       |                    |               |
| 3.50-5     | 80                    | 744                    | 0.21          | TR13  | Z1-02-1<br>Z1-02-2 | CF01          |
| 4.00-8     | 100                   | 1015                   | 0.32          |       |                    |               |
| 4.00-9     | 115                   | 1093                   | 0.47          |       |                    |               |
| 4.00-12    | 115                   | 1399                   | 0.49          |       |                    |               |
| 4.50-12    | 119                   | 1470                   | 0.56          |       |                    |               |
| 5.00-12    | 119                   | 1470                   | 0.56          |       |                    |               |
| 5.00-15    | 152                   | 1690                   | 0.63          |       |                    |               |
| 4.00-16    | 120                   | 1730                   | 0.61          |       |                    |               |
| 4.50-16    | 130                   | 1800                   | 0.72          |       |                    |               |
| 5.50-16    | 170                   | 1915                   | 0.78          |       |                    |               |
| 6.00-16    | 179                   | 1959                   | 1.13          |       |                    |               |
| 6.50-16    | 189                   | 2008                   | 1.31          |       |                    |               |
| 4.00-19    | 125                   | 1979                   | 0.67          |       |                    |               |
| 6.00-20    | 179                   | 2300                   | 1.19          |       |                    |               |
| 6.50-20    | 189                   | 2350                   | 1.77          |       |                    |               |
| 7.50-20    | 203                   | 2416                   | 2.21          |       |                    |               |

## OTR TYRE NATURAL INNER TUBE

| SIZE     | Main dimensions(mm)   |                        | WEIGHT<br>KGS | VALUE  |               |               |
|----------|-----------------------|------------------------|---------------|--------|---------------|---------------|
|          | Width of flat section | Perimeter of Flat fold |               | TRA    | GB/T3900-1997 | GB/T3900-2003 |
| 10.00-15 | 269                   | 2267                   | 2.98          | TR78A  | Z1-01-7       | DG08C         |
| 6.00-16  | 179                   | 1959                   | 1.13          | TR13   | Z1-02-2       | CF01          |
| 7.00-16  | 200                   | 2049                   | 1.45          | TR75A  | Z1-01-3       | DG04C         |
| 7.50-16  | 220                   | 2120                   | 1.66          |        |               |               |
| 7.50-20  | 203                   | 2416                   | 2.21          | TR77A  | Z1-01-5       | DG06C         |
| 8.25-20  | 229                   | 2517                   | 2.59          |        |               |               |
| 9.00-20  | 249                   | 2608                   | 3.15          | TR175A | Z1-01-6       | DG07C         |
| 10.00-20 | 269                   | 2668                   | 3.70          | TR78A  | Z1-01-7       | DG08C         |
| 11.00-20 | 290                   | 2759                   | 3.98          | TR179A | Z1-01-8       | DG09C         |
| 13.00-24 | 339                   | 3193                   | 7.82          |        |               |               |
| 14.00-24 | 359                   | 3360                   | 7.93          |        |               |               |
| 16/70-20 | 375                   | 2920                   | 6.70          |        |               |               |
| 16/70-24 | 405                   | 3150                   | 7.92          |        |               |               |
| 13.00-25 | 339                   | 3193                   | 7.82          |        |               |               |
| 15.5-25  | 394                   | 3479                   | 9.26          | TR78A  | Z1-01-7       | DG08C         |
| 16.00-24 | 413                   | 3671                   | 10.38         |        |               |               |
| 16.00-25 | 413                   | 3671                   | 10.38         |        |               |               |
| 17.5-25  | 420                   | 3580                   | 10.04         | TR179A | Z1-01-8       | DG09C         |
| 20.5-25  | 555                   | 4000                   | 14.82         |        |               |               |
| 18.00-25 | 476                   | 3821                   | 13.34         |        |               |               |
| 21.00-25 | 564                   | 4023                   | 16.62         |        |               |               |
| 23.5-25  | 580                   | 4214                   | 20.34         |        |               |               |

## INDUSTRIAL TYRE NATURAL INNER TUBE

| SIZE       | Main dimensions(mm)   |                        | WEIGHT<br>KGS | VALUE |               |               |
|------------|-----------------------|------------------------|---------------|-------|---------------|---------------|
|            | Width of flat section | Perimeter of Flat fold |               | TRA   | GB/T3900-1997 | GB/T3900-2003 |
| 15X4 1/2-8 | 100                   | 1119                   | 0.50          | /     | Z1-01-2       | DG03C         |
| 4.00-8     | 100                   | 1015                   | 0.32          | TR13  | Z1-02-1       | CF01          |
| 5.00-8     | 148                   | 1023                   | 0.56          | /     | Z1-01-1       | DG02C         |
| 6.00-8     | 169                   | 1410                   | 0.80          |       |               |               |
| 18X7-8     | 160                   | 1376                   | 0.85          |       | Z1-01-1       | DG02C         |
|            | 164                   | 1401                   | 0.85          | /     |               | JS2           |
| 6.00-9     | 169                   | 1410                   | 0.80          | /     | Z1-01-1       | DG02C         |
| 7.00-9     | 180                   | 1500                   | 0.94          |       |               |               |
| 21X8-9     | 175                   | 1484                   | 0.75          | /     |               | DG03C/JS2     |
| 6.50-10    | 200                   | 1569                   | 0.98          | /     | Z1-01-1       | DG02C         |

|          |     |      |      |        |         |       |
|----------|-----|------|------|--------|---------|-------|
| 7.50-10  | 203 | 1623 | 1.11 | /      | Z1-01-1 | DG02C |
| 7.00-12  | 185 | 1780 | 1.11 |        |         |       |
| 8.25-12  | 229 | 1900 | 1.57 | /      | Z1-01-2 | DG03C |
| 7.00-15  | 189 | 1890 | 1.48 |        |         |       |
| 7.50-15  | 200 | 1970 | 1.62 |        |         |       |
| 8.25-15  | 229 | 2087 | 2.32 |        |         |       |
| 28X9-15  | 180 | 2030 | 1.30 | TR77A  | Z1-01-5 | DG06C |
| 300-15   | 232 | 2240 | 1.90 | TR77A  | Z1-01-5 | DG06C |
| 10.00-15 | 269 | 2267 | 2.98 | TR78A  | Z1-01-7 | DG08C |
| 9.00-16  | 249 | 2329 | 2.50 | TR76A  | Z1-01-4 | DG05C |
| 8.25-20  | 229 | 2517 | 2.59 | TR77A  | Z1-01-5 | DG06C |
| 9.00-20  | 249 | 2608 | 3.15 | TR75A  | Z1-01-3 | DG04C |
| 10.00-20 | 269 | 2668 | 3.70 | TR75A  | Z1-01-3 | DG04C |
| 12.00-20 | 309 | 2909 | 4.50 | TR179A | Z1-01-8 | DG09C |
| 12.00-24 | 309 | 3209 | 5.50 |        |         |       |

#### TRUCK & BUS TYRE NATURAL INNER TUBE

| SIZE     | Main dimensions(mm)   |                        | WEIGHT<br>KGS | VALUE  |               |               |
|----------|-----------------------|------------------------|---------------|--------|---------------|---------------|
|          | Width of flat section | Perimeter of Flat fold |               | TRA    | GB/T3900-1997 | GB/T3900-2003 |
| 7.00-20  | 179                   | 2337                   | 1.75          | TR77A  | Z1-01-5       | DG06C         |
| 7.50-20  | 203                   | 2416                   | 2.21          |        |               |               |
| 8.25-20  | 229                   | 2517                   | 2.59          |        |               |               |
| 9.00-20  | 249                   | 2608                   | 3.15          | TR175A | Z1-01-6       | DG07C         |
| 10.00-20 | 269                   | 2668                   | 3.70          | TR78A  | Z1-01-7       | DG08C         |
| 11.00-20 | 290                   | 2759                   | 3.98          | TR179A | Z1-01-8       | DG09C         |
| 12.00-20 | 309                   | 2909                   | 4.50          |        |               |               |
| 13.00-20 | 339                   | 3019                   | 5.80          |        |               |               |
| 14.00-20 | 360                   | 3109                   | 6.80          |        |               |               |
| 12.00-24 | 309                   | 3209                   | 5.50          |        |               |               |

#### LIGHT TRUCK & SMAAL & MEDIUM-SIZED PCR TYRE NATURAL INNER TUBE

| SIZE    | Main dimensions(mm)   |                        | WEIGHT<br>KGS | VALUE |                    |               |
|---------|-----------------------|------------------------|---------------|-------|--------------------|---------------|
|         | Width of flat section | Perimeter of Flat fold |               | TRA   | GB/T3900-1997      | GB/T3900-2003 |
| 5.00-10 | 135                   | 1410                   | 0.60          | TR13  | Z1-02-1<br>Z1-02-2 | CF01          |
| 4.50-12 | 119                   | 1470                   | 0.56          |       |                    |               |
| 5.00-12 | 119                   | 1470                   | 0.56          |       |                    |               |
| 5.50-13 | 150                   | 1600                   | 0.61          |       |                    |               |
| 6.00-13 | 150                   | 1600                   | 0.61          |       |                    |               |
| 6.50-13 | 174                   | 1669                   | 0.81          |       |                    |               |
| 7.00-13 | 184                   | 1740                   | 0.87          |       |                    |               |

|         |     |      |      |       |                    |       |
|---------|-----|------|------|-------|--------------------|-------|
| 5.50-14 | 147 | 1652 | 0.69 | TR13  | Z1-02-1<br>Z1-02-2 | CF01  |
| 6.00-14 | 170 | 1700 | 0.80 |       |                    |       |
| 6.50-14 | 174 | 1749 | 0.83 |       |                    |       |
| 7.00-14 | 189 | 1827 | 0.92 |       |                    |       |
| 6.00-15 | 187 | 1872 | 0.90 |       |                    |       |
| 6.50-15 | 187 | 1872 | 0.90 |       |                    |       |
| 7.00-15 | 189 | 1890 | 1.48 |       |                    |       |
| 7.50-15 | 200 | 1970 | 1.62 | TR75A | Z1-01-3            | DG04C |
| 6.00-16 | 179 | 1959 | 1.13 | TR13  | Z1-02-2            | CF01  |
| 6.50-16 | 189 | 2008 | 1.31 | TR13  | Z1-02-1            | CF01  |
| 7.00-16 | 200 | 2049 | 1.45 | TR75A | Z1-01-3            | DG04C |
| 7.50-16 | 220 | 2120 | 1.66 |       |                    |       |
| 8.25-16 | 240 | 2211 | 2.10 |       |                    |       |
| 9.00-16 | 249 | 2329 | 2.50 | TR76A | Z1-01-4            | DG05C |

PHOTO SHOW



# BUTYL INNER TUBE LIST

## AGRICULTURAL TYRES BUTYL INNER TUBE

| NO. | SIZE         | VALUE         |               | TRA    | WEIGHT<br>KGS | QTY<br>PCS/BOX |
|-----|--------------|---------------|---------------|--------|---------------|----------------|
|     |              | GB/T3900-1997 | GB/T3900-2003 |        |               |                |
| 1   | 4.00-8       | Z1-02-1       | CF01          | TR13   | 0.50          | 40             |
|     |              | Z1-01-1       | DG02C         | /      | 0.50          | 40             |
| 2   | 4.00-12      | Z1-02-1       | CF01          | TR13   | 0.65          | 35             |
| 3   | 5.00-12      | Z1-02-1       | CF01          | TR13   | 0.65          | 30             |
| 4   | 4.00/4.50-14 | Z1-02-1       | CF01          | TR13   | 0.80          | 30             |
| 5   | 5.00-14      | Z1-02-1       | CF01          | TR13   | 0.80          | 30             |
| 6   | 6.00-12      | Z1-02-1       | CF01          | TR13   | 1.10          | 25             |
| 7   | 5.00-16      | Z1-02-1       | CF01          | TR13   | 1.10          | 25             |
| 8   | 5.50-16      | Z1-02-1       | CF01          | TR13   | 1.25          | 25             |
| 9   | 6.00-16      | Z1-02-1       | CJ01          | TR13   | 1.25          | 16             |
| 10  | 7.50-16      | Z1-02-1       | CJ01          | TR13   | 1.80          | 14             |
| 11  | 16/70-18     | Z1-03-1       | CG01C         | /      | 3.00          | 6              |
| 12  | 6.50-20      | Z1-02-1       | CF01          | TR13   | 1.80          | 8              |
| 13  | 7.50-20      | Z1-02-1       | CF01          | TR13   | 1.80          | 12             |
| 14  | 8.3-20       | Z1-03-1       | CG01C         | /      | 2.00          | 10             |
| 15  | 9.5-20       | Z1-03-1       | CG01C         | /      | 2.00          | 10             |
| 16  | 8.3-24       | Z1-03-1       | CG01C         | /      | 2.45          | 10             |
| 17  | 9.5-24       | Z1-03-1       | CG01C         | /      | 2.45          | 10             |
| 18  | 11.2-24      | Z1-03-1       | CG01C         | /      | 3.80          | 5              |
| 19  | 12.4-24      | Z1-03-1       | CG01C         | /      | 4.50          | 5              |
| 20  | 13.6-24      | Z1-03-1       | CG01C         | /      | 5.00          | 4              |
| 21  | 14.9-24      | Z1-03-1       | CG01C         | /      | 6.70          | 4              |
| 22  | 11.2/12.4-26 | Z1-03-1       | CG01C         | /      | 4.80          | 1              |
| 23  | 14.9/16.9-26 | Z1-03-1       | CG01C         | /      | 7.00          | 3              |
| 24  | 16.9/18.4-26 | Z1-03-1       | CG01C         | /      | 8.00          | 2              |
| 25  | 23.1-26      | Z1-03-1       | CG01C         | /      | 15.00         | 1              |
| 26  | 9.5-28       | Z1-01-8       | DG09C         | TR179A | 3.30          | 10             |
| 27  | 11.2-28      | Z1-03-1       | CG01C         | /      | 5.50          | 4              |
| 28  | 12.4-28      | Z1-03-1       | CG01C         | /      | 5.50          | 4              |
| 29  | 13.6-28      | Z1-03-1       | CG01C         | /      | 5.50          | 6              |
| 30  | 14.9-28      | Z1-03-1       | CG01C         | /      | 6.50          | 4              |
| 31  | 16.9-28      | Z1-03-1       | CG01C         | /      | 7.50          | 3              |
| 32  | 16.9-30      | Z1-03-1       | CG01C         | /      | 8.80          | 2              |
| 33  | 18.4-30      | Z1-03-1       | CG01C         | /      | 8.80          | 2              |
| 34  | 21.00-30     | Z1-03-1       | CG01C         | /      | 11.50         | 1              |
| 35  | 23.1-30      | Z1-01-8       | DG09C         | TR179A | 10.50         | 1              |
| 36  | 9.5-32       | Z1-03-1       | CG01C         | /      | 4.20          | 8              |
| 37  | 11-32        | Z1-03-1       | CG01C         | /      | 5.50          | 8              |
| 38  | 24.5-32      | Z1-03-1       | CG01C         | /      | 12.00         | 2              |
| 39  | 30.5L-32     | Z1-03-1       | CG01C         | /      | 14.50         | 1              |

|    |              |         |       |   |       |    |
|----|--------------|---------|-------|---|-------|----|
| 40 | 16.9-34      | Z1-03-1 | CG01C | / | 9.00  | 2  |
| 41 | 18.4-34      | Z1-03-1 | CG01C | / | 9.00  | 2  |
| 42 | 23.1-34      | Z1-03-1 | CG01C | / | 11.00 | 2  |
| 43 | 14.9/13.6-36 | Z1-03-1 | CG01C | / | 7.00  | 4  |
| 44 | 11.2/12.4-38 | Z1-03-1 | CG01C | / | 4.90  | 8  |
| 45 | 16.9-38      | Z1-03-1 | CG01C | / | 10.50 | 2  |
| 46 | 18.4-38      | Z1-03-1 | CG01C | / | 11.50 | 2  |
| 47 | 20.8-38      | Z1-03-1 | CG01C | / | 12.00 | 3  |
| 48 | 8.3-42       | Z1-03-1 | CG01C | / | 4.50  | 14 |
| 49 | 18.4/19.5-42 | Z1-03-1 | CG01C | / | 12.50 | 3  |
| 50 | 9.5-44       | Z1-03-1 | CG01C | / | 4.90  | 10 |
| 51 | 12.4/14.9-48 | Z1-03-1 | CG01C | / | 8.20  | 6  |
| 52 | 12.4-54      | Z1-03-1 | CG01C | / | 8.50  | 6  |

#### TRUCK TYRES BUTYL INNER TUBE

| NO. | SIZE         | VALUE         |               | TRA    | WEIGHT<br>KGS | QTY<br>PCS/BOX |
|-----|--------------|---------------|---------------|--------|---------------|----------------|
|     |              | GB/T3900-1997 | GB/T3900-2003 |        |               |                |
| 1   | 4.50-12      | Z1-02-1       | CF01          | TR13   | 0.65          | 40             |
| 2   | 5.00-12      | Z1-02-1       | CF01          | TR13   | 0.65          | 35             |
| 3   | 5.50-13      | Z1-02-1       | CF01          | TR13   | 0.90          | 30             |
| 4   | 6.00-13      | Z1-02-1       | CF01          | TR13   | 0.90          | 30             |
| 5   | 6.00-14      | Z1-02-1       | CF01          | TR13   | 0.80          | 25             |
| 6   | 6.50-14      | Z1-02-1       | CF01          | TR13   | 0.80          | 25             |
| 7   | 6.00/6.50-15 | Z1-02-1       | CF01          | TR13   | 1.10          | 20             |
| 8   | 7.00/7.50-15 | Z1-01-3       | DG04C         | TR75A  | 1.20          | 14             |
| 9   | 6.50-16      | Z1-01-3       | DG04C         | TR75A  | 1.20          | 16             |
| 10  | 7.00-16      | Z1-01-3       | DG04C         | TR75A  | 1.40          | 14             |
|     |              | Z1-02-1       | CF01          | TR13   | 1.40          | 14             |
| 11  | 7.50-16      | Z1-01-3       | DG04C         | TR75A  | 1.80          | 14             |
|     |              | Z1-02-1       | CF01          | TR13   | 1.80          | 14             |
| 12  | 8.25-16      | Z1-01-5       | DG06C         | TR77A  | 2.10          | 12             |
|     |              | Z1-01-6       | DG07C         | TR175A | 2.10          | 12             |
| 13  | 9.00-16      | Z1-01-5       | DG06C         | TR77A  | 2.10          | 12             |
| 14  | 12.00-18     | Z1-01-6       | DG07C         | TR175A | 3.20          | 4              |
| 15  | 7.50-20      | Z1-01-5       | DG06C         | TR77A  | 2.10          | 12             |
| 16  | 8.25-20      | Z1-01-7       | DG08C         | TR77A  | 2.50          | 10             |
| 17  | 9.00-20      | Z1-01-6       | DG07C         | TR175A | 3.00          | 8              |
| 18  | 10.00-20     | Z1-01-7       | DG08C         | TR77A  | 3.15          | 8              |
| 19  | 11.00-20     | Z1-01-8       | DG09C         | TR179A | 3.70          | 7              |
| 20  | 12.00-20     | Z1-01-8       | DG09C         | TR179A | 3.90          | 6              |
| 21  | 14.00-20     | Z1-01-8       | DG09C         | TR179A | 5.40          | 4              |

# OTR TYRES & INDUSTRIAL TYRES BUTYL INNER TUBE

| NO. | SIZE       | VALUE         |               | TRA    | WEIGHT<br>KGS | QTY<br>PCS/BOX |
|-----|------------|---------------|---------------|--------|---------------|----------------|
|     |            | GB/T3900-1997 | GB/T3900-2003 |        |               |                |
| 1   | 26.5-25    | Z1-01-8       | DG09C         | TR179A | 20.00         | 2              |
| 2   | 23.5-25    | Z1-01-8       | DG09C         | TR179A | 12.50         | 2              |
| 3   | 20.5-25    | Z1-01-8       | DG09C         | TR179A | 9.50          | 2              |
| 4   | 17.5-25    | Z1-01-8       | DG09C         | TR179A | 7.50          | 3              |
| 5   | 18.00-25   | Z1-01-8       | DG09C         | TR179A | 9.00          | 2              |
| 6   | 14.00-25   | Z1-01-8       | DG09C         | TR179A | 6.30          | 4              |
| 7   | 13.00-25   | Z1-01-8       | DG09C         | TR179A | 6.30          | 4              |
| 8   | 14.00-24   | Z1-01-8       | DG09C         | TR179A | 6.20          | 4              |
| 9   | 13.00-24   | Z1-01-8       | DG09C         | TR179A | 6.20          | 4              |
| 10  | 16/70-24   | Z1-01-8       | DG09C         | TR179A | 6.50          | 4              |
| 11  | 16/70-20   | Z1-01-8       | DG09C         | TR179A | 6.50          | 4              |
| 12  | 9.00-20    | Z1-01-6       | DG07C         | TR175A | 3.00          | 8              |
| 13  | 8.25-20    | Z1-01-5       | DG05C         | TR77A  | 2.50          | 10             |
| 14  | 16/70-16   | Z1-01-8       | DG09C         | TR179A | 3.10          | 10             |
| 15  | 20.5/70-16 | Z1-01-5       | DG09C         | TR77A  | 3.20          | 8              |
| 16  | 8.25-15    | Z1-01-4       | DG05C         | TR76A  | 2.10          | 12             |
| 17  | 28*9-15    | Z1-01-6       | DG07C         | TR175A | 1.50          | 14             |
| 18  | 7.00-12    | Z1-01-3       | DG04C         | TR75A  | 1.20          | 20             |
| 19  | 6.50-10    | Z1-01-1       | DG02C         | /      | 1.00          | 20             |
| 20  | 7.00-9     | Z1-01-1       | DG02C         | /      | 0.90          | 20             |
| 21  | 6.00-9     | Z1-01-1       | DG02C         | /      | 0.90          | 20             |
| 22  | 5.00-8     | Z1-01-1       | DG02C         | /      | 0.55          | 40             |

## PHOTO SHOW



## MOTORCYCLE TYRE INNER TUBE LIST

| NO. | SIZE       | WIDTH<br>mm | WEUGHT<br>KGS |
|-----|------------|-------------|---------------|
| 1   | 300-8      | 90          | 0.34          |
| 2   | 350-8      | 105         | 0.36          |
| 3   | 400-8      | 105         | 0.42          |
| 4   | 300-10     | 90          | 0.36          |
| 5   | 350-10     | 92          | 0.38          |
| 6   | 400-10     | 105         | 0.46          |
| 7   | 300-12     | 80          | 0.38          |
| 8   | 350-12     | 92          | 0.46          |
| 9   | 375-12     | 111         | 0.63          |
| 10  | 400-12     | 115         | 0.63          |
| 11  | 450-12     | 133         | 0.7           |
| 12  | 500-12     | 138         | 0.75          |
| 13  | 275-14     | 75          | 0.37          |
| 14  | 450/500-14 | 138         | 0.85          |
| 15  | 130/90-15  | 135         | 0.75          |
| 16  | 325-16     | 90          | 0.53          |
| 17  | 350-16     | 95          | 0.55          |
| 18  | 110/90-16  | 111         | 0.7           |
| 19  | 250-17     | 69          | 0.37          |
| 20  | 275-17     | 82          | 0.46          |
| 21  | 300-17     | 84          | 0.52          |
| 22  | 250-18     | 69          | 0.37          |
| 23  | 275-18     | 82          | 0.49          |
| 24  | 300-18     | 86          | 0.53          |
| 25  | 325-18     | 90          | 0.55          |
| 26  | 350-18     | 90          | 0.55          |
| 27  | 410-18     | 111         | 0.7           |
| 28  | 90/90-18   | 95          | 0.55          |
| 29  | 375-19     | 115         | 0.75          |
| 30  | 275/300-21 | 75          | 0.47          |
| 31  | 22*1.75    | 58          | 0.33          |
| 32  | 14*2.125   | 66          | 0.22          |
| 33  | 16*2.125   | 66          | 0.24          |
| 34  | 18*2.125   | 70          | 0.29          |
| 35  | 14*250     | 70          | 0.22          |
| 36  | 16*250     | 70          | 0.26          |
| 37  | 18*250     | 70          | 0.29          |
| 38  | 16*300     | 80          | 0.33          |